

WISCONSIN ENDANGERED RESOURCES REPORT 28

BIBLIOGRAPHY OF WISCONSIN HERPETOLOGY

By Lisa A. Drutkowski, with Phillip A. Cochran, and Michael J. Mossman

SUMMARY

This bibliography was compiled as a first step in determining needs for herpetological inventory, research, management, and public information in Wisconsin. It was produced to help guide the Wisconsin Herptile Working Group (WHWG), which was established in 1986 to advise the Bureau of Endangered Resources on issues that affect the state's native reptiles and amphibians.

The bibliography comprises 360 technical and popular references that deal with the ecology, life history, status, history, and distribution of Wisconsin's 55 herptile species. Some items refer to physiological or other studies in which Wisconsin specimens were used. Several references, especially those with obscure titles, are briefly annotated.

In developing the bibliography we began with literature cited in major texts and papers, especially R.C. Vogt's "Natural History of Amphibians and Reptiles of Wisconsin" (Univ. Wis. Press. 1981), and made a thorough perusal of the following, through 1986 issues: Herpetological Review, Wisconsin Conservation Bulletin, Wisconsin Sportsman, Wisconsin Natural History Society Bulletin, Wisconsin Herpetological Society Newsletter, Catalogue of American Amphibians and Reptiles. Members of the WHWG reviewed the list and contributed references from their personal files. Copies of most references are maintained at the Bureau of Endangered Resources.

We hope to update the bibliography periodically, and so we solicit comments and additions.

BUREAU OF ENDANGERED RESOURCES
Wisconsin Department of Natural Resources
P.O. Box 7921
Madison, WI 53707
608-266-7012

April 1987



BIBLIOGRAPHY OF WISCONSIN HERPETOLOGY

Compiled by Lisa Dlutkowsky, with Philip A. Cochran and Michael J. Mossman

- Adler, K.K.
1968. Turtles from archeological sites in the Great Lakes region.
Mich. Archeologist 14 (3-4):147-163. (Refers to Wisconsin
species status)
- Anderson, R.
(n.d.). An example of computer mapping: the first calling date of the
western chorus frog. Wis. Phenological Soc. 2 pp.
- Anderson, R.K., D.K. Jansen and R.L. Hine
1981. An inventory method for Wisconsin frogs and toads. Pp. 48-54 in
Ecology of reptiles and amphibians in Minnesota. Proceedings of
a symposium on March 13-15, 1981. 64 pp.
- Andrews, O.V.
1915. An ecological survey of the Lake Butte des Morts bog, Oshkosh,
Wisconsin. Bull. Wis. Nat. Hist. Soc. 13(4).
- Anonymous
1973. Ambystoma tremblayi - a short note. Wis. Herpetol. Soc. News1.
3:5.
- Anonymous
1979. Identification of Wisconsin's three map turtles. Wis. Herpetol.
Soc. News1. May 1979.
- Anonymous
1982. Would you like to become a frogwatcher? Wis. Phenological Soc.
News1. Spring: 1-2.
- Barrows, E.
1843. Original land survey reports, Richland Co., Wisconsin, Dayton
Township. p. 109.
- Beltrami, J.C.
1828. Discovery of the sources of the Mississippi and Bloody Rivers.
Hunt and Clark, London, Vol. 2. 545 pp. (Refers to Lake Pepin).
- Benton, M.J.
1980. Geographic variation in the garter snakes (Thamnophis sirtalis)
of the north-central United States, a multivariate study. Zool.
J. Linn. Soc. 68:307-323.
- Bishop, S.L. and F.J.W. Schmidt
1931. The painted turtles of the genus (Chrysemys. Field Mus. Nat.
Hist. Zool. Serv. 18(4):123-139. (Refers to Wisconsin species
status).

- Borysenko, M.
1969. The maturation of the capacity to reject skin allografts and xenografts in the snapping turtle, Chelydra serpentina. J. Exp. Zool. 170(3): 59-364. (Herptile specimens from Wisconsin)
- Breckenridge, W.J.
1944. Reptiles and amphibians of Minnesota. Univ. Minn. Press, Minneapolis. xiii + 202 pp. (Includes reptile status in western Wisconsin).
- Brewster, C.M.
1985. Erratum. Wood turtle, Clemmys insculpta, research in northern Wisconsin. Bull. Chic. Herpetol. Soc. 20(3-4):114.
- Brewster, C.M.
1985. Wood turtle, Clemmys insculpta, research in northern Wisconsin. Bull. Chic. Herpetol. Soc. 20:13-20.
- Brewster, K.N.
1982. Life history notes: Emydoidea blandingi reproduction. Herpetol. Rev. 13(2):48. (Trempealeau Cty.)
- Brewster, K.N.
1984. Reptilian ecology on a Wisconsin sand prairie. Bull. Chic. Herpetol. Soc. 19(4):115-124.
- Brewster, K.N.
1985. Studying the wood turtle in northern Wisconsin. Wis. Herpetol. Soc. News1. March 1985:3.
- Brewster, K.N. and C.M. Brewster
1986. Life history notes: Clemmys insculpta. Ectoparasitism. Herpetol. Rev. 17:48. (Vilas Cty.)
- Briggs, J.L.
1972. New records. Ambystoma tremblayi. Herpetol. Rev. 4(1):23. (Price Cty.)
- Briggs, J.
1973. Suggestions for the collection and preservation of amphibians and reptiles. Wis. Herpetol. Soc. News1. 5:4-6.
- Briggs, J.L.
1974. Distribution records of Ambystoma laterale and A. tremblayi in Wisconsin. Herpetol. Rev. 5(1):18-19.
- Briggs, J.L.
1975. Key to the herpetofauna of Wisconsin. Pamphlet, Milw. Public Mus.
- Briggs, J.L.
1977. Geographic distribution: Ambystoma tremblayi. Herpetol. Rev. 8(1):13. (Florence Cty.)

- Briggs, J. and H. Young
1976. Amphibians and reptiles of the Pigeon Lake region. Wis. Acad. of Sci., Arts and Lett. 64:277-280. (Bayfield Cty.)
- Brodie, E.D., Jr.
1982. Natural history of amphibians and reptiles of Wisconsin by R. C. Vogt. (Book review). Herpetol. 38:527-528.
- Brynildson, I.
(n.d.) Life Tracks II. Wisconsin's endangered reptiles, fish and molluscs. Suppl. to Wis. Nat. Resour.
- Buday, J.
1979. Ground nesting mourning doves. The Passenger Pigeon 41(3): 132. (Dove nest in middle of snake den)
- Buday, J.
1979. An unusual red-tailed hawk nestling companion. The Passenger Pigeon 41(3):132. (Live American toad found in hawk nest)
- Bull, J.J.
1985. Sex ratio and nest temperature in turtles: comparing field and laboratory data. Ecol. 66:1115-1122. (Field site Mississippi River, Vernon Cty.)
- Bull, J.J. and R.C. Vogt
1979. Temperature-dependent sex determination in turtles. Sci. 206:1186-1188. (Herptile specimens from Mississippi River, La Crosse Cty.)
- Bull, J.J. and R.C. Vogt
1981. Temperature-sensitive periods of sex determination in emydid turtles. J. Exp. Zool. 218:435-440.(Herptile specimens from Mississippi River, Vernon Cty.)
- Bull, J.J., R.C. Vogt and M.G. Bulmer
1982. Heritability of sex ratio in turtles with environmental sex determination. Evol. 36:333-341. (Herptile specimens from Vernon Cty.)
- Bull, J.J., R.C. Vogt and C.J. McCoy
1982. Sex determining temperatures in turtles: a geographic comparison. Evol. 36:326-332. (Herptile specimens from Wisconsin)
- Burghardt, G.M.
1970. Intraspecific geographical variation in chemical food cue preferences of newborn garter snakes (Thamnophis sirtalis). Behav. XXXVI (3): 246-257. (Bayfield Cty.)
- Bury, R.B.
1979. Population ecology of freshwater turtles. Pp. 571-602 in M. Harless and H. Morlock (eds.) Turtles, Perspectives and Research. John Wiley and Sons, N.Y. (Refers to previous Wisconsin herptile studies)

- Bury, R.B. and J.A. Whelan
1984. Ecology and management of the bullfrog. U.S. Fish Wildl. Serv.,
Resour. Publ. 155. 23 pp. (Includes Wisconsin status and range)
- Cahn, A.R.
1929. The herpetology of Waukesha County, Wisconsin. Copeia 1929:4-8.
- Camp, R.F.
1970. Rattlesnake hunt Wisconsin style. Wis. Conserv. Bull. (35)2:
21-23.
- Canfield, W.H.
1861. Sketches of Sauk County. Vol. 3. A.N. Kellogg, Baraboo, Wis.
40 pp. (Lists 21 reptiles and 8 amphibians from Devil's Lake)
- Carr, C.F.
1890. A list of turtles observed in the vicinity of Madison,
Wisconsin. Wis. Nat. 1:11.
- Carr, C.F.
1890. Salamanders. Wis. Nat. 1:54-56. (Describes 11 species found in
Wisconsin)
- Carver, J.
1796. Travels through the interior parts of North America. Hey and
Simpson, Philadelphia. xx + 360 pp.
- Casper, G.S.
1985. Wisconsin's harmless snakes. Lore 35(2):10-19.
- Christiansen, J.L. and E.O. Moll
1973. Latitudinal reproductive variation within a single subspecies of
painted turtle, Chrysemys picta bellii. Herpetol. 29:152-163.
(A comparison of populations from New Mexico and Wisconsin)
- Cleland, C.E.
1966. The prehistoric animal ecology and ethnozoology of the Upper
Great Lakes region. Anthropol. Pap. Mus. Anthropol. Univ. Mich.
29:1-294.
- Cochran, P.A.
1977. Feeding habits and length-weight relationships in spiny
softshell turtles from selected areas of Pools 5, 5A, and 6 of
the Upper Mississippi River. BA Thesis. St. Mary's Coll.,
Winona, Minn. 43 pp. (Portion of data from Wisconsin)
- Cochran, P.A.
1982. Geographical distribution: Necturus maculosus. Herpetol. Rev.
13(3):79. (Dunn Cty.)
- Cochran, P.A.
1982. Geographical distribution: Rana catesbeiana. Herpetol. Rev.
13(3):79-80. (Sawyer Cty.)
- Cochran, P.A.
1982. Geographical distribution: Trionyx spiniferus. Herpetol. Rev.
13(3):80. (Sawyer Cty.)

- Cochran, P.A.
1982. Natural history of amphibians and reptiles of Wisconsin, by R. C. Vogt. (Book review). Bull. Chic. Herpetol. Soc. 17:103-104.
- Cochran, P.A.
1982. A supplemental bibliography of publications pertinent to the Wisconsin herpetofauna. Bull. Chic. Herpetol. Soc. 17:105-108.
- Cochran, P.A.
1983. Geographic distribution: Coluber constrictor. Herpetol. Rev. 14(4):123. (Crawford Cty.)
- Cochran, P.A.
1983. Geographic distribution: Nerodia sipedon. Herpetol. Rev. 14(4):124. (Green Cty.)
- Cochran, P.A.
1983. The softshelled turtles (Genus Trionyx) of Minnesota. Pp. 15-18 in A. Elwell, K. Cram and C. Johnson (eds). Proceedings of a Symposium of the Ecology of Reptiles and Amphibians in Minnesota. March 13-15, 1981. Bald Eagle Outdoor Learning Center, Cass Lake, Minn. (Portion of data from Wisconsin)
- Cochran, P.A.
1986. Feeding an eastern hognose snake in a college laboratory setting. Bull. Chic. Herpet. Soc. (in press).
- Cochran, P.A.
1986. The herpetofauna of the Weaver Dunes, Wabasha County, Minnesota. Prairie Nat. 18:143-150. (A comparison with Spring Green, Wisconsin).
- Cochran, P.A.
1986. Some observations on the herpetofauna of the University of Wisconsin-Madison campus. Bull. Chic. Herpetol. Soc. 21:34-35.
- Cochran, P.A. and J.R. Hodgson
1985. Geographic distribution: Emydoidea blandingii. Herpetol. Rev. 16(4):116. (Oconto Cty.)
- Cochran, P.A. and J.R. Hodgson
1986. Geographic distribution: Ambystoma laterale. Herpetol. Rev. 17(1):26. (Florence Cty.)
- Cochran, P.A., J.R. Hodgson and R.M. Korb
1987. New distributional records for reptiles and amphibians in Brown County, Wisconsin. Herpetol. Rev. 18:21,23.
- Cochran, P.A. and J.D. Lyons
1985. Life history notes: Necturus maculosus. Juvenile ecology. Herpetol. Rev. 16(2):53. (Sawyer Cty.)
- Cochran, P.A. and J.D. Lyons
1986. New distributional records for Wisconsin amphibians and reptiles. Trans. Wis. Acad. Sci., Arts and Lett. 74:138-141.

- Cochran, P.A. and D.R. McConville
1983. Feeding by Trionyx spiniferus in backwaters of the Upper Mississippi River. *J. Herpetol.* 17(1):82-86. (Portion of data from Wisconsin)
- Coggins, J.R. and R.A. Sajdak
1982. A survey of helminth parasites in the salamanders and certain anurans from Wisconsin. *Proc. Helminthol. Soc. Wash.* 49(1):99-102.
- Conant, R.
1940. A new subspecies of the fox snake, Elaphe vulpina Baird and Girard. *Herpetol.* 2:1-14. (Lists records for Wisconsin subspecies)
- Conant, R.
1950. On the taxonomic status of Thamnophis butleri (Cope). *Chic. Acad. Sci. Bull.* 9(4):71-77.
- Congdon, J.D., D.W. Tinkle and P.C. Rosen
1983. Egg components and utilization during development in aquatic turtles. *Copeia* 1983:264-268. (Uses turtle eggs from Wisconsin)
- Conger, P.S.W.
1921. Distribution of amphibians in Wisconsin. Unpubl. MS Thesis. Univ. Wis.-Madison. 42 pp.
- Costanzo, J.P.
1982. Heating and cooling rates of Terrapene ornata and Chrysemys picta in water. *Bios* 53:159-166.
- Costanzo, J.P.
1985. The bioenergetics of hibernation in the eastern garter snake Thamnophis sirtalis sirtalis. *Physiol. Zool.* 58(6):682-692.
- Craven, S.R. and G.J. Knudsen
1982. Snakes of Wisconsin. Univ. Wis.-Extension. Coll. of Agric. and Life Sci. 8 pp.
- Cunningham, B.
1922. Some phases in the development of Chrysemys cinerea. *J. Elisha Mitchell Sci. Soc.* 38:51-73.
- Czajka, A.F.
1973. Herps protected in Wisconsin. *Wis. Herpetol. Soc. News*l. 2:4-5.
- Czajka, A.F.
1982. Wisconsin herps: the eastern milk snake (Lampropeltis triangulum triangulum). *Wis. Herpetol. Soc. News*l. May 1982.
- Davis, D.D.
1932. Occurrence of Thamnophis butleri Cope in Wisconsin. *Copeia* 1932:113-118.
- Derrehl, P.H.
1902. Place-modes of Acris gryllus for Madison, Wisconsin. *Bull. Wis. Nat. His. Soc.* 2(1):75-83.

- Dickinson, W.E.
1949. Field guide to the lizards and snakes of Wisconsin. Milw. Public Mus. Popular Sci. Handb. No. 2. 70 pp.
- Dickinson, W.E.
1950. Recent additions to the records of the distribution of the reptiles in Wisconsin. Trans. Wis. Acad. Sci., Arts and Lett. 40:71-77.
- Dickinson, W.E.
1965. Amphibians and turtles of Wisconsin. Milw. Public Mus. Popular Sci. Handb. No. 10. 45 pp.
- Dickinson, W.E.
1972. The amphibians and reptiles of Forest, Florence, and Marinette Counties with special reference to the Pine, Popple and Pike watersheds. Trans. Wis. Acad. Sci., Arts and Lett. 60:303-308.
- Drazkowski, B.
1981. Great egret. The Passenger Pigeon 43:158-159. (Predation or frogs in winter, Trempealeau Cty.)
- Drought, J.F.
1987. Geographic distribution: Chrysemys picta marginata. Herpetol. Rev. 18:21.
- Drought, J.F.
1987. Geographic distribution: Notophthalmus viridescens louisianensis. Herpetol. Rev. 18:17-18.
- Drought, J.F.
1987. Geographic distribution: Trionyx spiniferus spiniferus. Herpetol. Rev. 18:21.
- Dunlap, D.G. and J.E. Platz
1981. Geographic variation of proteins and call in Rana pipiens from the north-central United States. Copeia 1981:876-879. (Herptile specimens from Price Cty.)
- Edgren, R.A.
1942. A nesting rendezvous of the musk turtle. Chic. Nat. 5(2): 63.
- Edgren, R.A.
1944. Notes on amphibians and reptiles from Wisconsin. Am. Midl. Nat. 32(2):495-498.
- Edgren, R.A.
1960. Ovulation time in the musk turtle Sternotherus odoratus. Copeia 1960:60-61. (Herptile specimens from Racine Cty.)
- Edgren, R.A. and M.K. Edgren
1955. Thermoregulation in the musk turtle Sternotherus odoratus Latreille. Herpetol. 11:213-217. (Herptile specimens from Racine Cty.)

- Edgren, R.A., Jr. and W.T. Stille
1948. Checklist of Chicago area amphibians and reptiles. Chic. Acad. Sci. Nat. Hist. Misc. No. 26. 7 pp. (Includes southeast Wisconsin)
- Eilers, J.M., G.J. Lien, and R.G. Berg
1984. Aquatic organisms in acidic environments: a literature review. Tech. Bull. No. 150. Dep. Nat. Resour., Madison, Wis.
- Engel, T.C.
1980. Effects of urban development on vertebrate wildlife populations in Schmeeckle Reserve, Univ. Wis.-Stevens Point. MS Thesis. Univ. Wis.-Stevens Point. 143 pp.
- Ewert, M.A.
1979. The embryo and its egg: development and natural history. Pp. 333-413 in M. Harless and H. Morlocks (eds.) Turtles, Prospectives and Research. John Wiley and Sons, N.Y.
- Ewert, M.A. and J.M. Legler
1978. Hormonal induction of oviposition in turtles. Herpetol. 34:314-318. (Herptile specimens from Wisconsin)
- Flaig, O.
1942. Turtles of Wisconsin. Wis. Conserv. Bull. 7(10):33.
- Froom, B.
1983. Review of: Natural history of amphibians and reptiles of Wisconsin, by R. C. Vogt. Can. Amphibian and Reptile Conserv. Soc. 21(2):2-3.
- Gans, C.
1983. Natural history of amphibians and reptiles in Wisconsin by R. C. Vogt. (Book Review). Q. Rev. of Biol. 58:102.
- Gieck, C.M.
(n.d.) Life Tracks Series. Wisconsin's endangered reptiles, fish and molluscs. Suppl. to Wis. Nat. Resour.
- Gilderhus, P.A. and B.G.H. Johnson
1980. Effects of sea lamprey (Petromyzon marinus) control in the Great Lakes on aquatic plants, invertebrates, and amphibians. Can. J. Fish. Aquatic Sci. 37:1895-1905.
- Gillingham, J.C.
1974. Reproductive behavior of the western fox snake, Elaphe v. vulpina (Baird and Gerard). Herpetol. 30(3):309-313. (Herptile specimens from central Wisconsin)
- Gillingham, J.C.
1977. Further analysis of reproductive behavior in the western fox snake, Elaphe v. vulpina. Herpetol. 33:349-353. (Herptile specimens from Columbia Cty.) (Herptile specimens from Columbia Cty.)

- Gillingham, J.C.
1979. Reproductive behavior of the rat snakes of eastern North American, genus Elaphe. Copeia 1979:319-331. (Herptile specimens from Wisconsin)
- Glass, G.E.
1980. Susceptibility of aquatic and terrestrial resources of Minnesota, Wisconsin and Michigan to impacts from acid precipitation. Information requirements, in D. Drablos and A. Tollar (eds). Ecological impact of acid precipitation. International Conf., Sandefjord, Norway, 1980. Proceedings: Oslo, Norway SNSF Project, p. 112-113.
- Graenicher, S.
1911. Some records of Wisconsin lizards. Bull. Wis. Nat. Hist. Soc. 9:78-81.
- Guilford, H.G.
1959. Some helminth parasites found in turtles from northeastern Wisconsin. Trans. Wis. Acad. Sci., Arts and Lett. 48:121-124.
- Hacker, V.R.
1956. Biology and management of lake trout in Green Lake, Wisconsin. Trans. Am. Fish. Soc. 86:1-13.
- Hallman, J.P.
1975. Phototaxis in amphibians and reptiles: a non-technical review. Wis. Herpetol. Soc. News1. 14:3-6.
- Hawkins, A.S.
1940. A wildlife history of Faville Grove, Wisconsin. Trans. Wis. Acad. Sci., Arts and Lett. 32:29-65.
- Hedeen, S.E.
1986. The southern geographic limit of the mink frog, Rana septentrionalis. Copeia 1986:239-244. (Refers to status in Wisconsin)
- Henderson, R.W., M.H. Binder, R.A. Sajdak and J.A. Buday
1980. Aggregating behavior and exploitation of subterranean habitat by gravid eastern milksnakes (Lampropeltis t. triangulum). Milw. Public Mus. Contrib. in Biol. and Geol. No. 32. 9 pp. (Southeast Wisconsin)
- Hennepin, L.
1968. A new discovery. Bentley et al. London: Reprinted 1903. A.C. McClurg and Co., Chicago. Part I, 299 pp. Part II, 355 pp. (Early writing about Wisconsin reptiles)
- Henry, C.
1983. The rattlesnakes of Wisconsin. Wis. Herpetol. Soc. News1. September 1983:7-8.
- Higley, W.K.
1889. Reptiles and batrachians of Wisconsin. Trans. Wis. Acad. Sci., Arts and Lett. 7:155-176.

- Hine, R.L., B.L. Les and B.F. Hellmich
1981. Leopard frog populations and mortality in Wisconsin, 1974-76.
Wis. Dep. Nat. Resour. Tech. Bull. 122. 39 pp.
- Hine, R.L., B.L. Les, B.F. Hellmich and R.C. Vogt
1975. Preliminary report on leopard frog (Rana pipiens) populations in Wisconsin. Wis. Dep. Nat. Resour. Res. Rep. 81. 30 pp.
- Hodgson, J.R. and P.A. Cochran
1986. Geographic distribution: Hyla crucifer. Herpetol. Rev. 17(1):26. (Shawano Cty.)
- Holford, C.N.
1900. History of Grant County, Wisconsin. Lancaster. 782 pp.
- Holzwart, J. and K.D. Hall
1984. The absence of glycerol in the hibernating American toad (Bufo americanus). Bios 55(1):31-36.
- Hoy, P.R.
1883. Catalogue of the cold-blooded vertebrates of Wisconsin. Pp. 422-426 in T.C. Chamberlin Geology of Wisconsin. Vol. 1. State of Wisconsin, Madison. (Lists 54 herptile species)
- Hutchison, V.H. and K.A. Spriestersbach
1986. Diel and seasonal cycles of activity and behavioral thermoregulation in the salamander Necturus maculosus. Copeia 1986(3): 612-618. (Herptile specimens from central Wisconsin)
- Jackson, D.C. and G.R. Ultsch
1982. Long term submergence at 3°C of the turtle, Chrysemys picta bellii, in normoxic and severely hypoxic water. II. Extracellular ionic responses to extreme lactic acidosis. J. Exp. Biol. 96:29-43. (Herptile specimens from Wisconsin)
- Jackson, H.H.T.
1914. The land vertebrates of Ridgeway Bog, Wisconsin: their ecological succession and source of ingressions. Bull. Wis. Nat. Hist. Soc. 12(1-2):4-54.
- Jacobson, R. and G. Walz
1966. Estimated turtle population in Pigeon Lake. Unpubl. MS Thesis. Univ. Wis.-La Crosse.
- Jaslow, A.P. and R.C. Vogt
1977. Identification and distribution of Hyla versicolor and Hyla chrysoscelis in Wisconsin. Herpetol. 33:201-205.
- John, K.R. and D. Fenster
1975. The effects of partitions on the growth rates of crowded Rana pipiens tadpoles. Am. Midl. Nat. 93(1):123-130. (Herptile specimens from Wisconsin)

- Johnson, M.J.
1984. The distribution and habitat of the pickerel frog in Wisconsin.
Unpubl. MS Thesis. Univ. Wis.-Stevens Point. 68 pp.
- Keating, W.H.
1825. Narrative of an expedition to the source of St. Peter's River,
Lake Winnepeck, Lake of the Woods, etc. George B. Whittaker,
London. Vol. 1, 458 pp. Vol. 2, 248 pp. Append. 156 pp.
- Keenlyne, K.D.
1968. The massasauga (Sistrurus catenatus catenatus) in Buffalo
County, Wisconsin. MS Thesis. Univ. Minn.-Minneapolis. 86 pp.
- Keenlyne, K.D.
1972. Sexual differences in feeding habits of Crotalus horridus
horridus. J. Herpetol. 6(3-4):234-237.
- Keenlyne, K.D.
1978. Reproductive cycles in two species of rattlesnakes. Am. Midl.
Nat. 100(2):368-375. (Buffalo Cty.)
- Kent, D.M.
1983. Wildlife response to secondarily-treated sewage application on
the Drummond Bog. MS Thesis. Univ. Wis.-Stevens Point. 54 pp.
- Knudsen, G.J.
1954. Fox snake. Wis. Conserv. Bull. 19(12):35-36.
- Knudsen, G.J.
1954. Massasauga. Wis. Conserv. Bull. 19(10):35-36.
- Knudsen, G.J.
1954. Northern banded watersnake. Wis. Conserv. Bull. 19(11):37-38.
- Knudsen, G.J.
1954. Timber rattlesnake. Wis. Conserv. Bull. 19(9):33-34.
- Knudsen, G.J.
1955. Bull snake. Wis. Conserv. Bull. 20(1):36-37.
- Knudsen, G.J.
1955. Common garter snake. Wis. Conserv. Bull. 20(5):35-36.
- Knudsen, G.J.
1955. DeKay's snake. Wis. Conserv. Bull. 20(11):36-37.
- Knudsen, G.J.
1955. Eastern blue racer. Wis. Conserv. Bull. 20(3):36-37.
- Knudsen, G.J.
1955. Eastern ring-necked snake. Wis. Conserv. Bull. 20(10):32-33.
- Knudsen, G.J.
1955. Green snake. Wis. Conserv. Bull. 20(9):36-37.

- Knudsen, G.J.
1955. Hog-nosed snake. Wis. Conserv. Bull. 20(4):36-37.
- Knudsen, G.J.
1955. Milk snake. Wis. Conserv. Bull. 20(2):35-36.
- Knudsen, G.J.
1955. Red-bellied snake. Wis. Conserv. Bull. 20(12):29-30.
- Knudsen, G.J.
1956. Five-lined skink. Wis. Conserv. Bull. 21(4):35-37.
- Knudsen, G.J.
1956. Geographic terrapin. Wis. Conserv. Bull. 21(11):36-37.
- Knudsen, G.J.
1956. Glass "snake". Wis. Conserv. Bull. 21(2):36-37.
- Knudsen, G.J.
1956. Musk turtle. Wis. Conserv. Bull. 21(9):36-37.
- Knudsen, G.J.
1956. Pilot blacksnake. Wis. Conserv. Bull. 21(1):36-37.
- Knudsen, G.J.
1956. Six-lined lizard. Wis. Conserv. Bull. 21(3):38-39.
- Knudsen, G.J.
1956. Snapping turtle. Wis. Conserv. Bull. 21(5):36-37.
- Knudsen, G.J.
1956. Western box turtle. Wis. Conserv. Bull. 21(10):36-37.
- Knudsen, G.J.
1956. Western painted terrapin. Wis. Conserv. Bull. 21(12):30-31.
- Knudsen, G.J.
1957. American toad. Wis. Conserv. Bull. 22(10):36-37.
- Knudsen, G.J.
1957. Blanding's turtle. Wis. Conserv. Bull. 22(3):36-37.
- Knudsen, G.J.
1957. Brown soft-shelled turtle. Wis. Conserv. Bull. 22(1):35-36.
- Knudsen, G.J.
1957. Green frog. Wis. Conserv. Bull. 22(12):30-31.
- Knudsen, G.J.
1957. Le Sueur's terrapin. Wis. Conserv. Bull. 22(4):36-37.
- Knudsen, G.J.
1957. Northern wood frog. Wis. Conserv. Bull. 22(11):35-36.
- Knudsen, G.J.
1957. Spiny soft-shelled turtle. Wis. Conserv. Bull. 22(5):35-36.

- Knudsen, G.J.
1957. Spotted turtle. Wis. Conserv. Bull. 22(9):35-36.
- Knudsen, G.J.
1957. Wood terrapin. Wis. Conserv. Bull. 22(2):36-37.
- Knudsen, G.J.
1958. American bullfrog. Wis. Conserv. Bull. 23(3):36-37.
- Knudsen, G.J.
1958. Common tree frog. Wis. Conserv. Bull. 23(1):36-37.
- Knudsen, G.J.
1958. Eastern red-backed salamander. Wis. Conserv. Bull. 23(12):38.
- Knudsen, G.J.
1958. Leopard frog. Wis. Conserv. Bull. 23(5):38-39.
- Knudsen, G.J.
1958. Mink frog. Wis. Conserv. Bull. 23(2):36-37.
- Knudsen, G.J.
1958. Spring peeper. Wis. Conserv. Bull. 23(4):35-37.
- Knudsen, G.J.
1958. Striped tree frog. Wis. Conserv. Bull. 23(9):36-37.
- Knudsen, G.J.
1958. Tiger salamander. Wis. Conserv. Bull. 23(11):36-37.
- Knudsen, G.J.
1958. Western cricket frog. Wis. Conserv. Bull. 23(10):35-36.
- Knudsen, G.J.
1959. Jefferson's salamander. Wis. Conserv. Bull. 24(1):35-36.
- Knudsen, G.J.
1959. Mud puppy. Wis. Conserv. Bull. 24(4):36-37.
- Knudsen, G.J.
1959. Pickerel frog. Wis. Conserv. Bull. 24(3):36-37.
- Knudsen, G.J.
1959. Pond newt. Wis. Conserv. Bull. 24(5):36-37.
- Knudsen, G.J.
1959. Spotted salamander. Wis. Conserv. Bull. 24(2):37.
- Knudsen, G. J.
1978. Little tough guy: brown snake (Storeria dekayi). Wis. Nat. Resour. 2(5):2.
- Knudsen G.J.
1979. Tigers on the prowl. Wis. Nat. Resour. 3(4):2.

- Knudsen, G.J.
1980. Chuckler of the forest. Wis. Nat. Resour. 4(5):2.
- Lande, S.P. and S.I. Guttman
1973. The effects of copper sulfate on the growth and mortality rate of Rana pipiens tadpoles. Herpetol. 29:22-27. (Herptile specimens from Wisconsin)
- Lang, J.W.
1972. New records: Ambystoma maculatum. Herpetol. Rev. 4(5):170. (Polk Cty.)
- Lang, J.W.
1972. New records: Hemidactylum scutatum. Herpetol. Rev. 4(5):170. (Bayfield Cty.)
- Lapham, I.A.
1852. Fauna and flora of Wisconsin. Trans. Wis. State Agric. Soc. Wis. Legis. Senate Append. to Senate Jour. pp.186-199. (Lists 17 herptile species)
- Leopold, A. and S.E. Jones
1947. A phenological record for Sauk and Dane Counties, Wisconsin 1935-1945. Ecol. Monogr. 17:81-122.
- Les, B.
1975. Frog facts. Wis. Conserv. Bull. 40(5):28-29.
- Les, B.L.
1979. The vanishing wild - Wisconsin's endangered wildlife and its habitat. Wis. Dep. Nat. Resour. 36 pp.
- Lewke, R.E.
1982. Life history notes: Lampropeltis getulus holbrooki. Food. Herpetol. Rev. 13(1):18. (Eau Claire Cty.)
- Likens, G.E. and F.H. Bormann
1974. Linkages between terrestrial and aquatic ecosystems. Bioscience, 24(8):447-456. (Refers to Lake Mendota)
- Lintereur, L.R.
1975. Big bluff. Wis. Conserv. Bull. 40(4):30.
- Long, C.A.
1982. The evolution of nest-site displays in two hole-nesting families of birds (Paridae and Sittidae). Univ. Wis.- Stevens Point. Mus. of Nat. Hist. Rep. on the Fauna and Flora of Wis. 18:1-13.
- Long, C.A.
1982. Rare gigantic toads Bufo americanus, from Lake Michigan isles. Univ. Wis.-Stevens Point. Mus. Nat. Hist. Rep. on the Fauna and Flora of Wis. 18:15-19.
- Long, C.A. and C.A. Long
1978. Some amphibians and reptiles from Chambers Island, Green Bay, Lake Michigan. Jack Pine Warbler 56:46-47.

- Lynn, W.G. and T. Von Brand
1945. Studies on the oxygen consumption and water metabolism of turtle embryos. Biol. Bull. 88:112-125. (Herptile specimens from Wisconsin)
- MacDonald, C.
1940. Snake protection. Wis. Conserv. Bull. 5(8):53-54. (Report on Wisconsin species)
- Mahmaud, I.Y.
1968. Nesting behavior in the western painted turtle, Chrysemys picta belli. Herpetol. 24:158-162. (Observations from north- and east-central Wisconsin)
- Mathiak, H.A.
1966. Muskrat population studies at Horicon Marsh, Wisconsin. Wis. Dep. Nat. Resour. Tech. Bull. No. 36. 56 pp.
- McCaffery, K.R., J.E. Ashbrenner and J.C. Moulton
1981. Forest opening construction and impacts in northern Wisconsin. Wis. Dep. Nat. Resour. Tech. Bull. 120:1-41. (Discusses 6 herptile species)
- Merrell, D.J.
1965. The distribution of the dominant *burnsi* gene in the leopard frog, Rana pipiens. Evol. 19(1):69-85. (West-central Wisconsin)
- Merritt, D.A., Jr.
1980. The wood turtle, Clemmys insculpta (LeConte): natural history, behavior, and food habits. Bull. Chic. Herpetol. Soc. 15:6-9.
- Messeling, E.
1953. Rattlesnakes in southwestern Wisconsin. Wis. Conserv. Bull. 18(10):21-23.
- Mierzwa, K.S.
1985. An introduction to Robert Kennicott's letters to Spenser F. Baird. Bull. Chic. Herpetol. Soc. 20:61-81.
- Miller, C.J.
1979. Rattler! That's their religion. Wis. Sportsman 8(4):50-51, 62-63.
- Mitchell, J.C.
1979. The concept of phenology and its application to the study of amphibian and reptile life histories. Herpetol. Rev. 10(2): 51-54. (Includes turtle data from Wisconsin)
- Moll, E.O.
1973. Latitudinal and intersubspecific variation in reproduction of the painted turtle, Chrysemys picta. Herpetol. 29:307-318. (A comparison of populations from Wisconsin, Illinois, Tennessee, Louisiana, and Arkansas)

- Moore, J.A.
1944. Geographic variation in Rana pipiens Schreber of eastern North America. Bull. Am. Nat. Hist. 82(8):345-370.
- Moore, J.A.
1946. Incipient intraspecific isolating mechanisms in Rana pipiens. Genet. 31:304-326. (Herptile specimens from Wisconsin)
- Mossman, M.J. and R.L. Hine
1984. The Wisconsin frog and toad survey: establishing a long-term monitoring program. Wis. Dep. Nat. Resour., Endangered Resour. Rep. 9. 13+ pp.
- Mossman, M.J. and R.L. Hine
1985. The Wisconsin's frog and toad survey, 1984. Wis. Dep. Nat. Resour., Endangered Resour. Rep. 16. 16 pp.
- Necker, W.L.
1938. Checklist of reptiles and amphibians of the Chicago region. Chic. Acad. Sci. Leafl. No. 1. 4 pp. (Includes southeast Wisconsin)
- Necker, W.L.
1939. Records of amphibians and reptiles of the Chicago region, 1935-1938. Bull. Chic. Acad. Sci. 6(1): 1-10. (Includes southeast Wisconsin)
- Necker, W.L.
1939. Revised checklist of reptiles and amphibians of the Chicago region. Chic. Acad. Sci. Leafl. No. 11. 4 pp. (Includes southeast Wisconsin)
- Nelson, T.C.
1915. Rana palustris in Wisconsin. Copeia 1915(19):13-14.
- Neumann, C.D.
1980. Hyla versicolor and Hyla chrysocelis: the twin treefrogs in southeastern Wisconsin. Bull. Chic. Herpetol. Soc. 15:16-17.
- Nevo, E.
1973. Adaptive color polymorphism in cricket frogs. Evol. 27(3):353-367. (Herptile specimens from Wisconsin)
- Nickerson, M.A., A. Williams and S. Ketcham
1980. Herpetology in Milwaukee. Herpetol. Rev. 11:27-28.
- Noland, W.E.
1951. The hydrography, fish, and turtle population of Lake Wingra. Trans. Wis. Acad. Sci., Arts and Lett. 40(2):5-58.
- Ortenburger, A.I.
1928. The whip snake and racers, genera Masticophis and Coluber. Mem. Univ. Mich. Mus. 1. xviii + 247 pp.

- Pace, A.E.
1974. Systematic and biological studies of the leopard frog (Rana pipiens complex) of the United States. Publ. Mus. Zool. Univ. Mich. 148:1-140.
- Parrish, H.M.
1965. Frequency of snakebites in Wisconsin. Wis. Med. J. 64(6):216-220.
- Pearse, A.S.
1921. Habits of the mud-puppy, Necturus, an enemy of food fishes. U.S. Bur. Fish. Econ. Circ. No. 49. 8 pp.
- Pearse, A.S.
1923. The abundance and migration of turtles. Ecol. 4:24-28. (University Bay, Lake Mendota)
- Pearse, A.S.
1923. The growth of the painted turtle. Biol. Bull. 45:145-148. (University Bay, Lake Mendota)
- Pentecost E.D. and R.C. Vogt
1976. Amphibians and reptiles of the Lake Michigan drainage basin. Environmental Status of the Lake Michigan Region. Vol. 16. Argonne National Lab., Argonne, Illinois. 69 pp.
- Petokas, P.J.
1981. A. S. Pearse's density estimates for turtles: the correction of a long-standing error. Bull. Md. Herpetol. Soc. 17:68-70.
- Pillaert, E.E.
1983. Review of: Natural history of amphibians and reptiles in Wisconsin by R. C. Vogt. Wis. Acad. Rev. 29:56-57.
- Pleyte, T.A.
1975. The slender glass lizard (Ophisaurus attenuatus) in Waushara Co., Wisconsin. Unpubl. MS Thesis. Univ. Wis.-Milwaukee. 80 pp.
- Pope, C.H.
1944. Amphibians and reptiles of the Chicago area. Chic. Nat. Hist. Mus. Press, Chic. 275 pp. (Includes southeast Wisconsin)
- Pope, T.E.B.
1923. Hunting Wisconsin rattlesnakes. Milw. Public Mus. Yearb. 3:13-26.
- Pope, T.E.B.
1926. The massasauga in Wisconsin. Milw. Public Mus. Yearb. 6:171-180.
- Pope, T.E.B.
1928. The diamondback rattlesnake in Wisconsin. Milw. Public Mus. Yearb. 8:167-177.

- Pope, T.E.B.
1928. Wisconsin herpetological notes. Milw. Public Mus. Yearb. 8:177-184.
- Pope, T.E.B.
1929. Wisconsin herpetological notes, II. Milw. Public Mus. Yearb. 9:235-243 (p.2).
- Pope, T.E.B.
1930. Wisconsin herpetology notes. Trans. Wis. Acad. Sci., Arts and Lett. 25:273-284.
- Pope, T.E.B.
1930. Wisconsin herpetology notes, III. Milw. Public Mus. Yearb. 10:266-268.
- Pope, T.E.B.
1931. Wisconsin herpetology notes. Trans. Wis. Acad. Sci., Arts and Lett. 26:321-329.
- Pope, T.E.B.
1936. Wisconsin herpetological notes, IV. (unpubl. rep.)
- Pope, T.E.B. and W.E. Dickinson
1928. The amphibians and reptiles of Wisconsin. Bull. Milw. Public Mus. 8(1):1-138.
- Prellwitz, D.M.
1976. Effects of stream channelization on terrestrial wildlife and their habitats on the Buena Vista Marsh, Wisconsin. MS Thesis. Univ. Wis.-Stevens Point. 113 pp.
- Radaj, R.H.
1981. Life history notes: Opheodrys v. vernalis. Reproduction. Herpetol. Rev. 12(3):80.
- Radaj, R.H.
1981. Life history notes: Rana clamitans. Coloration. Herpetol. Rev. 12(3):79. (Washington Cty.)
- Rasmussen, D.L.
1971. Microvertebrates from a fissure deposit in the "Driftless Area" of southwestern Wisconsin. (Abstract) Geol. Soc. of Am. Abstr. with Programs 3(4):275-276.
- Ratner, N. and R. Anderson
1978. Population, nesting, movement, habitat and thermoregulatory studies of the wood turtle in west central Wisconsin. Univ. Wis.-Stevens Point. Res. Rep. 34 pp.
- Ream, C. and R. Ream
1966. The influence of sampling methods on the estimation of population structure in painted turtles. Am. Midl. Nat. 75(2):325-328. (Lake Mendota)

- Ream, C.H.
1967. Some aspects of the ecology of painted turtles, Lake Mendota, Wisconsin. PhD Thesis. Univ. Wis.-Madison. 84 pp.
- Reidi, J.
1978. Variation in plastron pattern in a clutch of western painted turtles. Wis. Herpetol. Soc. News1. November 1978.
- Reigle, N.J., Jr.
1967. The occurrence of Necturus in the deeper waters of Green Bay. Herpetol. 23:232-233.
- Reinartz, J.A.
1985. A guide to the natural history of the Cedarburg Bog. Part I. Field Stn. Bull. 18(2). (Ozaukee Cty.)
- Reinartz, J.A.
1986. A guide to the natural history of the Cedarburg Bog. Part II. Field Stn. Bull. 19(1). (Ozaukee Cty.)
- Riechert, S.E.
1971. Herps (reptiles and amphibians). Arboretum News: 20(3):2-3. Madison, Wis.
- Riley, E.E. and M.R. Weil
1986. The effects of thiosemicarbozide on development in the wood frog, Rana sylvatica I: concentration effects. Ecotox. Environ. Safety (in press). (Herptile specimens from Wisconsin)
- Riley, E.E. and M.R. Weil
1987. The effects of thiosemicarbazine on development in the wood frog, Rana sylvatica II: critical exposure length and age sensitivity. Ecotox. Environ. Safety (in press). (Herptile specimens from Wisconsin)
- Roble, S.M.
1979. Dispersal movements and plant associations of juvenile gray tree frogs, Hyla versicolor Le Conte. Trans. of the Kans. Acad. of Sci. 82(4):235-245. (Study conducted in Wisconsin)
- Rose, B.E.
1922. Reptiles of Wisconsin. MS Thesis. Univ. Wis.-Madison.
- Ross, D.A.
1985. Habitat use and movements of a blanding's turtle population in central Wisconsin. MS Thesis. Univ. Wis.-Stevens Point. 51 pp.
- Rossmann, D.A.
1962. Thamnophis proximus (Say), a valid species of garter snake. Copeia 1962:741-748. (Herptile specimens from southeast Wisconsin)
- Rossmann, D.A.
1963. The colubrid snake genus Thamnophis: a revision of the sauritus group. Bull. Fla. State Mus. 7(3):99-178.

- Rossmann, N.J., D.A. Rossman and N.K. Keith
1981. Comparative visceral topography of the new world snake tribe
Thamnophiini (Colubridae, Natricinae). Tulane Stud. in Zool.
and Bot. 23:123-164.
- Ruibal, R.
1983. Review of R.L. Hine, B.L. Les and B.F. Hellmich, 1981, leopard
frog populations and mortality in Wisconsin, 1974-1976.
Herpetol. Rev. 14(2):50. (Review)
- Sajdak, R.A.
1978. Geographic distribution: Carpophis amoenis vermis. Herpetol.
Rev. 9(2):62. (Grant Cty.)
- Sajdak, R.
1978. Tremblay's salamander in the Kettle Moraine State Forest. Wis.
Herpetol. Soc. News1. January 1978.
- Sajdak, R.A.
1982. Seasonal activity patterns, habitat selection and population
structure of the mud-puppy, Necturus maculosus, in a Wisconsin
stream. MS Thesis. Univ. Wis.-Milw. 57 pp.
- Sajdak, R.A. and J.A. Buday
1979. Geographic distribution: Ambystoma tremblayi. Herpetol. Rev.
10(2):59. (Sheboygan Cty.)
- Sasse, D.C.
1978. A pre-construction inventory and wildlife management plan for a
flood control impoundment in Clark County, Wisconsin. MS
Thesis. Univ. Wis.-Stevens Point. 172 pp.
- Schaaf, R.T., Jr. and P.W. Smith
1970. Geographic variation in the pickerel frog. Herpetol.
26(2):240-254. (Lists published records from Wisconsin)
- Schmidt, F.J.W.
1926. List of the amphibians and reptiles of Worden Township, Clark
County, Wisconsin. Copeia 1926(154):131-132.
- Schmidt, K.P.
1929. The frogs and toads of the Chicago area. Field Mus. Nat. Hist.
Zool. Leafl. No. 11. 15 pp. 5 pl. (Includes southeast Wisconsin)
- Schmidt, K.P.
1930. The salamanders of the Chicago area. Field Mus. Nat. Hist.
Zool. Leafl. No. 12, 16 pp. 4 pl. (Includes southeast Wisconsin)
- Schmidt, K.P.
1938. Turtles of the Chicago area. Field Mus. Nat. Hist. Zool. Leafl.
No. 14. 24 pp. 10 fig. 2 pl. (Includes southeast Wisconsin)
- Schmidt, K.P. and W.L. Necker
1935. Amphibians and reptiles of the Chicago region. Bull. Chic. Acad.
Sci. 5(4): 57-77. (Includes southeast Wisconsin)

- Schneberger, E.
1939. Turtle facts. Wis. Conserv. Bull. 4(11):7-10.
- Schorger, A.W.
1967-68 Rattlesnakes in early Wisconsin. Trans. Wis. Acad. Sci., Arts and Lett. 56:29-48.
- Schueler, F.W. and F.R. Cook.
1980. Distribution of the middorsal stripe polymorphism in the wood frog, Rana sylvatica, in eastern North American. Can. J. Zool. 58:1643-1651. (Uses museum collection from Bayfield Cty.)
- Sever, D.M.
1976. Morphology of the mental hedonic gland clusters of Plethodontid salamanders (Amphibia, Urodea, Plethodontidae). J. Herpetol. 10(3):227-239. (Herptile specimens from Vernon Cty.)
- Shapiro, J.
1979. Wisconsin's small secretive snakes. Wis. Nat. Resour. 3(3):30-31.
- Sheldon, A.B.
1981. The snakes of Wisconsin. Wis. Sportsman 10(4):56-60.
- Sheldon, A.B. and D. Nedrelo
1986. The lizards of Wisconsin. Wis. Sportsman. 15(5):56-57.
- Shinn, E.A. and J.W. Dole
1978. Evidence for a role for olfactory cues in the feeding response of leopard frogs, Rana pipiens. Herpetol. 34(2):167-172. (Herptile specimens from Wisconsin)
- Smith, A.G.
1949. The subspecies of the plains garter snake, Thamnophis radix. Bull. Chic. Acad. Sci. 8(14):285-300. (Includes Wisconsin ranges)
- Smith, P.W.
1956. The geographical distribution and constancy of the semifasciata pattern in the eastern garter snake. Herpetol. 12(2):81-84. (Includes Wisconsin distribution frequencies)
- Smith, P.W.
1957. An analysis of post-Wisconsin biogeography of the Prairie Peninsula region based on distributional phenomena among terrestrial vertebrate populations. Ecol. 38(2):205-218. (Includes ranges of various Wisconsin species)
- Stille, W.T.
1954. Observations on the reproduction and distribution of the green snake, Opheodrys vernalis (Harlan). Chic. Acad. Sci. Nat. Hist. Misc. 127. 11 pp. (Includes Wisconsin ranges)

- Stimpfl, K.I. and D.F. Brinken
1981. A survey of the distribution and abundance of spotted salamanders in a portion of northern Wisconsin. Unpubl. MS Thesis for Exxon Minerals Co. by Dames and Moore, Park Ridge, Ill. 10 pp.
- Suzuki, H.K.
1951. Recent additions to the records of the distribution of the amphibians in Wisconsin. Trans. Wis. Acad. Sci., Arts and Lett. 40:215-234.
- Suzuki, H.K.
1957. A study of leg length variations in the wood frog, Rana sylvatica Le Conte. Trans. Wis. Acad. Sci., Arts and Lett. 46:299-303.
- Temple, S.A.
1987. Predation on turtle nests increases near ecological edges. Copeia 1987:250-252.
- Thieling, S.C.
1973. The Pleistocene fauna of Lost River Sink, Iowa County, Wisconsin. Unpubl. MS Thesis. Univ. of Iowa-Iowa City.
- Thompson, H.B.
1912. Notes on the Wisconsin wood frog. Mich. Acad. Sci. 14th Rep. p.189.
- Threlfall, M.
1982. Frog call observations in Dane County. Wis. Phenological Soc. News1. Spring:2. (Frog calling dates from Cherokee Marsh)
- Threlfall, M.
1986. Random notes of the 1986 growing season. Wis. Phenological Soc. News1. Fall 1986:2. (Frog calling dates from Cherokee Marsh)
- Tiebout, H.M.
1983. Life history notes: Nerodia sipedon sipedon. Reproduction. Herpetol. Rev. 14(4):121. (Walworth Cty.)
- Tiebout, H.M. and J.R. Cary
1987. Dynamic spatial ecology of the water snake, Nerodia sipedon. Copeia 1987:1-18.
- Trapido, H.
1944. The snakes of the genus Storeia. Am. Midl. Nat. 31(1):1-84. (Includes Wisconsin ranges)
- Ultsch, G.R. and D.C. Jackson
1982. Long-term submergence at 3°C of the turtle, Chrysemys picta bellii, in normoxic and severely hypoxic water. I. Survival, gas exchange and acid-base status. J. Exp. Biol. 96:11-28. (Herptile specimens from Wisconsin)

- Vandre, W.G.
1975. Effects of channel dredging on wildlife and wildlife habitat on the Buena Vista Marsh. MS Thesis. Univ. Wis.-Stevens Point. 87 pp.
- Vogt, R.C.
1977. Frogs sing in the spring and they need help. Wis. Nat. Resour. 1(3):30-31.
- Vogt, R.C.
1978. Systematics and ecology of the false map turtle complex Graptemys pseudogeographica. PhD Thesis. Univ. Wis.-Madison. 375 pp.
- Vogt, R.C.
1979. Cleaning/feeding symbiosis between grackles (Quiscalus: Icteridae) and map turtles (Graptemys: Emydidae). Auk 96:609. (Grackles removing leeches from map turtles)
- Vogt, R.C.
1979. Spring aggregating behavior of painted turtles, Chrysemys picta (Reptilia, Testudines, Testudinidae). J. Herpetol. 13:363-365. (Lake Mendota)
- Vogt, R.C.
1980. Natural history of the map turtles, Graptemys pseudogeographica and Graptemys ouachitensis in Wisconsin. Tulane Stud. Zool. Bot. 22:17-48.
- Vogt, R.C.
1980. New methods for trapping aquatic turtles. Copeia 1980:368-371. (Mississippi River and Dodge Cty.)
- Vogt, R.C.
1981. Food partitioning in three sympatric species of map turtle, genus Graptemys (Testudinata, Emydidae). Am. Midl Nat. 105:102-111. (Vernon Cty.)
- Vogt, R.C.
1981. Natural history of amphibians and reptiles of Wisconsin. Milw. Public Mus., Milw., Wis. 205 pp.
- Vogt, R.C.
1981. Turtle egg (Graptemys: Emydidae) infestation by fly larvae. Copeia 1981:457-459. (Vernon Cty.)
- Vogt, R.C. and J.J. Bull
1982. Genetic sex determination in Trionyx spiniferus (Testudines: Trionychidae). Copeia 1982(3):699-700. (Vernon Cty.)
- Vogt, R.C. and J.J. Bull.
1982. Temperature controlled sex-determination in turtles: ecological and behavioral aspects. Herpetol. 38(1):156-164. (Studied Wisconsin turtles)

- Vogt, R.C. and J.J. Bull
1984. Ecology of hatchling sex ratio in map turtles. Ecol. 65:582-587. (Vernon Cty.)
- Vogt, R.C. and R.L. Hine
1977. Amphibian and reptile indices. Pp. 103-158 in N.G. Tilghman and D.H. Rusch (eds.) Development and evaluation of techniques for assessment of impact of highway development on wildlife populations and habits in the upper midwest. 254 pp.
- Vogt, R.C. and R.L. Hine
1982. Evaluation of techniques for assessment of amphibian and reptile populations in Wisconsin. pp. 201-217 in N.J. Scott (ed). Herpetological Communities. U.S. Fish and Wildl. Serv. Rep. 13.
- Vogt, R.C. and C.J. McCoy
1980. Status of the emydine turtle genera Chrysemys and Pseudemys. Ann. Carnegie Mus. 49:93-102.
- Wagner, G.
1922. A note on the ring-necked snake in Wisconsin. Copeia 1922(108):54-56.
- Wagner, G.
1922. A wood turtle from Wisconsin. Copeia 1922(107):43-45.
- Wagner, G.
1922. On the present status of Ophisaurus in Wisconsin. Copeia 1922(113):90-91.
- Walley, H.D.
1962. The northern prairie skink, Eumeces septentrionalis septentrionalis, in Wisconsin and Illinois. Herpetol. 18:281-283.
- Weil, M.R.
1985. Comparison of plasma and testicular testosterone levels during the active season in the common garter snake, Thamnophis sirtalis (L.). Comp. Biochem. Physiol. 81A:585-587. (Herptile specimens from Wisconsin)
- Weil, M.R.
1986. Changes in plasma thyroxine levels during and after spontaneous metamorphosis in a natural population of the green frog, Rana clamitans. Gen. Comp. Endocrinol. 62:8-12. (Herptile specimens from Wisconsin)
- West, R.M. and J.E. Dallman
1980. Late Pleistocene and Holocene vertebrate fossil record of Wisconsin. Geoscience Wis. 4:25-45.
- Wheeler, W.E.
1984. Duck egg predation by fox snakes in Wisconsin. Wildl. Soc. Bull. 12:77-78.

- Wheeler, W.E., R.C. Gatti and G.A. Bartelt
1984. Duck breeding ecology and harvest characteristics on Grand River Marsh Wildlife Area. Wis. Dep. Nat. Resour. Tech. Bull. No. 145. 49 pp. (Discusses fox snake as nest predator)
- Williams, D.D. and S.J. Taft
1980. Helminths of anurans from northwest Wisconsin. Proc. Helminthol. Soc. Wash. 47:278.
- Williams, E.C., Jr.
1947. The terrestrial form of the newt Triturus viridescens, in the Chicago region. Chic. Acad. Sci. Nat. Hist. Misc. No. 5. 3 pp. (Refers to Walworth and Ashland Counties)
- Yntema, C.L.
1964. Procurement and use of turtle embryos for experimental procedures. Anatomical Rec. 149:577-583. (Herptile specimens from Wisconsin)
- Yntema, C.L.
1970. Observations on females and eggs of the common snapping turtle Chelydra serpentina. Am. Midl. Nat. 84:69-76. (Herptile specimens from Wisconsin)
- Yntema, C.L.
1974. Incidence and progress of rejection of embryonic limb bud transplants in the turtle, Chelydra serpentina. J. Morphology 144: 453-461. (Herptile specimens from Wisconsin)
- Yntema, C.L.
1974. Survival of skin allografts following embryonic limb bud transplants in the turtle. Chelydra serpentina. J. Morphology 144:463-468. (Herptile specimens from Wisconsin)
- Yntema, C.L.
1979. Temperature levels and periods of sex determination during incubation of eggs of Chelydra serpentina. J. Morphology 159:17-27. (Herptile specimens from Wisconsin)
- Yntema, C.L. and M. Borysenko
1971. Survival of embryonic limb bud transplants in snapping turtles. Experientia 27(1):567-569. (Herptile specimens from Wisconsin)
- Zaremba, T.
1978. A fox snake hibernaculum. Bull. Chic. Herpetol. Soc. 13:87-90.
- Zimmerman, J.H.
1950. Outdoor calendar. Passenger Pigeon 12(14):147-152. (Discussion of frog and toad calls in southcentral Wisconsin)
- Zimmerman, J.H.
1951. Outdoor calendar. Passenger Pigeon 13(1):9-14. (Discussion of frog and toad calls in southcentral Wisconsin)

APPENDIX I

The following references of species accounts are from the Catalogue of American Amphibians and Reptiles, published by the American Society of Ichthyologists and Herpetologists from 1962 to 1970, and the Society for the Study of Amphibians and Reptiles. References include distribution and life history information on species found in Wisconsin.

- Anderson, J.D.
1967. Ambystoma maculatum (Shaw). Catalogue of Am. Amphibians and Reptiles. 51.1-51.4
- Christman, S.P.
1982. Storeria dekayi (Holbrook). Catalogue of Am. Amphibians and Reptiles. 306.1-306.4.
- Collins, J.T. and J.L. Knight
1980. Crotalus horridus Linnaeus. Catalogue of Am. Amphibians and Reptiles. 253.1-253.2.
- Ernst, C.H.
1971. Chrysemys picta (Schneider). Catalogue of Am. Amphibians and Reptiles. 106.1-106.4.
- Ernst, C.H.
1972. Clemmys insculpta (LeConte). Catalogue of Am. Amphibians and Reptiles. 125.1-125.2.
- Fitch, H.S.
1980. Thamnophis sirtalis (Linnaeus). Catalogue of Am. Amphibians and Reptiles. 270.1-270.4.
- Gehlback, F.R.
1967. Ambystoma tigrinum (Green). Catalogue of Am. Amphibians and Reptiles. 52.1-52.4.
- Hedeen, S.E.
1977. Rana septentrionalis Baird. Catalogue of Am. Amphibians and Reptiles. 202.1-202.2.
- Holman, J.A.
1971. Ophisaurus attenuatus Cope. Catalogue of Am. Amphibians and Reptiles. 111.1-111.3.
- Martof, B.S.
1970. Rana sylvatica LeConte. Catalogue of Am. Amphibians and Reptiles. 86.1-86.4.
- McCoy, C.J.
1973. Emydoidea Gray. Catalogue of Am. Amphibians and Reptiles. 136.1-136.4.

- Mecham, J.S.
1967. Notophthalmus viridescens (Rafinesque). Catalogue of Am. Amphibians and Reptiles. 53.1-53.4.
- Minton, S.A.
1980. Thamnophis butleri Cope. Catalogue of Am. Amphibians and Reptiles. 258.1-258.2.
- Minton, S.A.
1983. Sistrurus catenatus (Rafinesque). Catalogue of Am. Amphibians and Reptiles. 332.1-332.2.
- Neill, W.T.
1963. Hemidactylum scutatum (Schlegel). Catalogue of Am. Amphibians and Reptiles. 2.1-2.2.
- Platt, D.R.
1983. Heterodon Latreille. Catalogue of Am. Amphibians and Reptiles. 315.1-315.2.
- Rossman, D.A.
1970. Thamnophis proximus (Say). Catalogue of Am. Amphibians and Reptiles. 98.1-98.3.
- Rossman, D.A.
1970. Thamnophis sauritus (Linnaeus). Catalogue of Am. Amphibians and Reptiles. 99.1-99.2.
- Schaaf, R.T., Jr., and P.W. Smith
1971. Rana palustris LeConte. Catalogue of Am. Amphibians and Reptiles. 117.1-117.3.
- Smith, P.W.
1963. Plethodon cinereus (Green). Catalogue of Am. Amphibians and Reptiles. 5.1-5.3.
- Stewart, M.M.
1983. Rana clamitans Latreille. Catalogue of Am. Amphibians and Reptiles. 337.1-337.4.
- Uzzell, T.M., Jr.
1967. Ambystoma laterale Hallowell. Catalogue of Am. Amphibians and Reptiles. 48.1-48.2.
- Uzzell, T.M., Jr.
1967. Ambystoma tremblayi Comeau. Catalogue of Am. Amphibians and Reptiles. 50.1-50.2.
- Ward, J.P.
1978. Terrapene ornata (Agassiz). Catalogue of Am. Amphibians and Reptiles. 217.1-217.4.
- Webb, R.G.
1973. Trionyx muticus Lesueur. Catalogue of Am. Amphibians and Reptiles. 139.1-139.2.

- Webb, R.G.
1973. Trionyx spiniferus Lesueur. Catalogue of Am. Amphibians and Reptiles. 140.1-140.4.
- Wilson, L.D.
1978. Coluber constrictor Linnaeus. Catalogue of Am. Amphibians and Reptiles. 218.1-218.4.
- Zug, G.R.
1986. Sternotherus Gray. Catalogue of Am. Amphibians and Reptiles. 397.1-397.3.

54000

March 1988

A Supplement to Bibliography of Wisconsin Herpetology by
L.A. Dlutkowski, P.A. Cochran, and M.J. Mossman
(Wisconsin Endangered Resources Report 2B, April 1987)*

- Blegen, D.
1986. Are snakes the pits? *Wis. Nat. Resour.* 10(4):24-30.
- Casper, G.S.
1986. Wisconsin herpetological atlas project. *Passenger Pigeon* 48:183.
- Casper, G.S.
1987. New herpetological records for Wisconsin. *Bull. Chic. Herpetol. Soc.* 22:95. (Note errata 22:127).
- Casper, G.S.
1987. Herpetological surveys in southeastern Wisconsin. *Bull. Chic. Herpetol. Soc.* 22:132.
- Cochran, P.A.
1986. Feeding an eastern hognose snake in a college laboratory setting. *Bull. Chic. Herpetol. Soc.* 21:96-97 (originally cited as "in press").
- Cochran, P.A.
1987. Life history note: Ophrydrys vernalis. *Behavior. Herpetol. Review* 18:36-37. (Marinette Cty.).
- Cochran, P.A.
1988. Geographic distribution: Hyla crucifer. *Herpetol. Rev.* (In press) (Florence Cty.).
- Cochran, P.A.
1988. Geographic distribution: Hyla versicolor. *Herpetol. Rev.* (In press) (Florence Cty.).
- Cochran, P.A.
1988. Geographic distribution: Chrysemys picta. *Herpetol. Rev.* (In press) (Florence Cty.).
- Cochran, P.A.
1988. Geographic distribution: Clemmys insculpta. *Herpetol. Rev.* (In press) (Florence Cty.).
- Cochran, P.A.
1988. Geographic distribution: Elaphe vulpina. *Herpetol. Rev.* (In press) (Marinette and Outagamie Ctns.).
- Cochran, P.A.
1988. The herpetofaunas of Pheasant Branch and Waunakee Marshes, Dane County, Wisconsin, with a comparison to the intervening agricultural area. *Bull. Chic. Herpetol. Soc.* (In press).
- Cochran, P.A. and K.J. Knutson
1987. Geographic distribution. Hyla crucifer. *Herpetol. Rev.* 18:55 (Brown Cty.).

- Cochran, P.A. and R.M. Korb.
1987. Recent sightings of the Blanding's turtle, Emydoidea blandingii, a threatened species, in Wisconsin. Bull. Chic. Herpetol. Soc. 22:145-147. (Note errata 22:201).
- Drought, J.F.
1987. Geographic distribution: Nerodia sipedon sipedon. Herpetol. Rev. 18:41.
- Ela, K.
1987. A contribution to the phenology of Western Racine County. Wisconsin Phenological Society Newsletter (Fall 1987), pp. 2-4. (Chorus frog and American toad).
- Harding, J.H.
1983. Natural history of amphibians and reptiles of Wisconsin, by R.C. Vogt. (Book review). Herpetol. Rev. 14:49-50.
- Judge, E.M.
1986. The western diamond-back rattler in Wisconsin. Wis. Nat. Resour. 10(4):30-31. (Reprinted in Wis. Herpetol. Soc. News., July 1987, pp. 3-4).
- Korb, R.M.
1988. Geographic distribution: Emydoidea blandingii. Herpetol. Rev. (In press) (Shawano Cty.).
- Korb, R.M.
1988. Geographic distribution: Heterodon platyrhinos. Herpetol. Rev. (In press) (Waupaca Cty.).
- Lawson, R.
1987. Molecular studies of thamnophiine snakes: I. The phylogeny of the genus Nerodia. J. Herp. 21:140-157. (used some Wisconsin specimens of Nerodia sipedon).
- Leclair, R. Jr. and J. Castanet
1987. A skeletochronological assessment of age and growth in the frog Rana pipiens Schreber (Amphibia, Anura) from southwestern Quebec. Copeia. 1987:361-369. (includes a comparison with Wisconsin populations).
- Matteson, S.
1987. Predators threaten recovery efforts. The Niche (Newsletter of the Wisconsin Bureau of Endangered Resources) 2(2):4-5. (Snapping turtles killing trumpeter swan cygnets).
- Mierzwa, K.S.
1988. News from Wisconsin (in Legislative Update & Conservation Notes). Bull. Chic. Herpetol. Soc. 23:16.
- Ross, D.A.
1987. Blanding's turtle: not many left in Wisconsin. Wis. Nat. Resour. 11(4):7-10. (reprinted in Wis. Herpetol. Soc. News., January 1988, pp. 12-13).

-3-

Sandburg, E. H.

1968. A study of Dunn's Marsh near Madison. *Passenger Pigeon*
30:79-83.

Sever, D. M.

1987. Hemidactylum scutatum and the phylogeny of cloacal anatomy in
female salamanders. *Herpetologica* 43:105-116.

Errata

Cover - replace "Phillip" with "Philip"